



Aquila 28 Molokai Power Catamaran Specifications

Length overall	9.38 M / 30' 9"
Hull length	8.6 M / 28' 2"
Beam	2.96 M / 9' 8.5"
Hull draft (motors up)	0.34 M / 1' 1.2"
Hull draft (motors down)	0.77 M / 2' 6"
Bridgedeck clearance	0.32 M / 1' 0.5"
Trailer height (excluding electronics and trailer)	3.37 M / 11' 0.5"
Dry weight (with dual 150 HP outboard engines)	2,797 KG / 6,166 LB

Tankage

Fuel tank (approx.)	2X 285 = 570 L / 2X 75 = 150 GAL
Freshwater capacity	60 L / 16 GAL
Livewell capacity	113 L / 30 GAL
Fishbox capacity (2 fish boxes)	2X 356 = 712 L / 2X 94 = 188 GAL
FRP Lined Storage Locker Capacity (2 boxes)	2X 197 = 394 L / 2X 104 = 208 GAL

CE Certification

CE Category: B, C & D

Propulsion

Standard	2X 150 HP (300 HP total)
Optional	2X 200 HP (400 HP total)

Features


Proven and tested hull design from Hawaiian waters offering best in class offshore handling capabilities
Highest tunnel clearance in class offering better air cushion and reduced hull noise when fishing/trolling
360-Degree walk around fishability

Central walkthrough with door at transom offering direct access to stern / excellent for fishing, diving, and recreational water access

Forward console hinged door opening for easy access to inside console and optional toilet with dockside pump out

Class leading deck space for fishing and entertainment

Quality electric including AGM batteries as standard



**STANDARD
MAIN DECK W/ TOP**



**STANDARD
MAIN DECK**

Hull Features

Aquila Protection Plan: 5 Year hull/deck structural warranty
 White gelcoat
 Vinyl ester resin infused hull, deck, cockpit floor and bulkheads
 Infused fiberglass structural grid
 Bow eye 316L stainless steel
 Integrated transom walkthrough between engines
 Rub Rail: High density PVC with solid 316 stainless steel insert
 Removable boarding ladder with stainless steel grab rails mounted on deck
 Four (4) separated compartments in each hull which can be individually drained or completely isolated
 Designated below deck rigging conduits
 Stainless steel drain plugs in each hull at transom

Deck Features

Rub rail with solid 316 stainless steel insert
 Molded one piece deck and cockpit liner with non-skid pattern area
 Flush mounted integral anchor locker with fiberglass lid
 Flush mounted lockers on port and starboard side of anchor locker with fiberglass lid
 Seven (7) through bolted 8" Pop Up cleats; Stern (2), Spring (2) and Bow (3)
 Molded split bow seating with cushions and storage below
 Integrated deck level 316L stainless steel railing
 Molded recessed hatches with gaskets and stainless steel latches
 Transom stainless steel rails bolted to deck for ease of water access
 Seating at forward bow with optional forward facing seats with backrests
 Flush mounted central storage locker in bow seating
 Bolster cushions installed on gunwale throughout boat
 Deck access fiberglass storage locker on port and starboard side of helm console (103 GAL each)
 Designated fiberglass deck access lockers for easy access to aluminum fuel tanks
 Port and starboard deck access insulated fish boxes each with designated macerator pump outs (94 Gal each)
 Port and starboard deck access mechanical area hatches
 Large hinged door for easy access into console area with optional toilet
 Forward facing seating for two (2) passengers in front of console with integrated cushions

Cockpit Features

Centrally located aft removable door for easy access to transom and swim ladder
 Fresh water pull out shower at transom (cold water only)
 Drink Holders (4) located behind helm seats
 Aft cockpit recessed and forward facing fold out seating with cushions on port and starboard side
 Large cockpit drains for fast overboard discharge (2)
 Custom designed helm seating at helm for two (2)
 Molded helm seat console with drink holders (4), dedicated tackle storage (2) with removable trays
 Large tackle storage locker with removable trays and designated storage area located above sink and livewell
 Integrated cutting board with sink and fold down faucet with fresh water supply
 Livewell (30 GAL) with integrated perspex lid and easy flow control valve
 Stainless steel grab rail around leaning post
 Integrated hatches allowing easy access to batteries, fresh water tank, and electrical connections

Fusion Marine Entertainment System: Bluetooth compatible system, MS-RA55 head unit with 4 x 6" speakers in hardtop
 Aft cockpit machinery access hatches
 Raw water outlet in cockpit with hose
 LED cockpit courtesy accent light

Fishing Features

Four (4) stainless steel rod holders in gunwale
 Lighted Caribbean blue 30 gallon recirculating livewell with acrylic lid and flow control valve
 Under gunwale rod storage (port and starboard)
 Fish boxes (94 GAL each) insulated and diaphragm pumps with overboard discharge (port and starboard)
 Six (6) stainless steel rod holders in transom
 Tilt out storage boxes (2) on each side of helm seat area with removable trays
 Large tackle storage locker with removable trays and designated storage area with USB charger located above sink and livewell
 Removable cutting board with fresh water sink below
 Five (5) hardtop mounted rod holders

Hardtop and Windshield

Fiberglass hardtop with dedicated radar, antenna and spotlight locations
 Painted fiberglass structural hardtop supports
 Fixed windshield with fresh water supply windshield wiper and control at helm
 Tilt up LED anchor/running light
 Port and starboard LED running lights flush mounted on hardtop
 Electrical 12v horn recessed mounted
 Forward and aft recessed mounted spreader lights (3) to light up deck area
 Rod holders (5)
 Kingfish rod holders (2)

Helm

316L stainless steel steering wheel with control knob on tilt helm
 12v switch panel with push button switches
 Compass
 Waterproof Fusion full function display with Bluetooth capability (MS-RA55)
 Windshield wiper system connected to fresh water supply with control at helm
 Bilge pump red indicator light
 Stainless steel grab rails
 Integrated glove box with dual USB charger (1)
 Molded fiberglass footrests
 EVA foam padding at helm, on top of console, and at molded fiberglass footrests
 Cup holders (2)
 Recessed area next to compass for loose items
 Mercury digital SmartCraft gauges

Console

Forward hinged door for access inside console area for storage and optional toilet
 Designated storage area for optional removable bow table
 Opening port hatch
 Easy access to electrical, throttle and steering controls for maintenance
 Molded floor liner
 Designated push button reset 12v fuse panel

Electrical Systems

All wires run through PVC conduits for ease of rigging
Dedicated battery switches located under helm seat
Three (3) AGM battery system: port engine (1), starboard engine (1), and house (1)
Custom built FRP battery tray for house and starter batteries
Electronics fuse push to reset fuse panel
Dual USB outlet at helm with additional USB outlet in large tackle storage locker above livewell/sink

Mechanical Space

Molded hatch with gasket for easy access
Each hull with 750 gph bilge pump with red indicator light at helm
Raw water washdown pump with filter and hose
Macerator pumps (2) for fish boxes
Mercury power steering pump
Livewell pump with filter
Valve for draining each individual hull compartment


Fuel System

Molded hatch (2) on deck with compression latches for easy access to tank fittings
EPA compliant custom aluminum 75 gallon fuel tanks (2) with engine pickups, shut off valves, digital level indicator and deck fuel plates (2)
Two (2) Mercury water separating fuel filters

Water System

16 gallon fresh water tank with fill plate
Fresh water pump
Concealed flip up faucet
Molded sink with drain and removable cutting board
Transom mounted fresh water shower (cold only)

AVAILABLE PACKAGE: PRO COMFORT



OPTION
MAIN DECK W/ TOP



OPTION
MAIN DECK